
# FOIL





**rFOIL®** Standard Concrete Underpad provides exceptional thermal value and a strong, permanent vapor and radon barrier. It is a cost-effective alternative to rigid foam insulation, and is always installed with the clear side facing upwards.

# CONCRETE UNDERPAD

4320 SERIES

### **rFOIL®** Benefits:

- Reduces Radiant Heat Loss through Floors
- High-Strength, Multi-Layer, Vapor and Radon Barrier
- Cost-Effective Alternative to Rigid Foam Insulation
- Improves Efficiency of In-Floor Radiant Heating Systems
- Reduces Slab Reaction Time at System Startup
- Saves Energy Usage and Utility Costs
- Easy to Form around Obstructions
- Installs Easily Over any Grade
- Withstands Job Site Traffic

## **rFOIL®** Applications:

- Insulating Under Concrete Slabs
- Beneath Concrete Over-Pours
- Edge-Slabs and Expansion Joints







# **CONCRETE UNDERPAD**

(4320 Series)

#### Reflective Metalized Film Facing (installed facing down)

- Reduces Radiant Heat Loss
- Redirects Radiant Heat Energy Back to Living Area
- Saves Energy Usage and Lowers Heating Costs
- Extends Life of Heating System
- Faster Reaction Time for Radiant Floor Heating

#### Clear Polyethylene Facing

- Unaffected by Lime and other Corrosive Chemicals often Found in Concrete.

#### Multi-Layer Bubble Core ( 8.4 mil )

- Provides Continuous Thermal Break below the Slab
- Keeps underground moisture away from slab
- Durable and Long-Lasting Polyethylene
- Strong Puncture Resistance and Tear Strength
- Outstanding Vapor and Radon Barrier
- Can also Insulate the Edge-Slab and Outside of Foundation

# Lightweight, Flexible Materials

- Just Unroll, Overlap, and Tape the Seams
- Easy to Cut and Configure around Obstructions
- Ideal for Edge-Slab Insulation and Expansion Joint (Easily Folds Upward at Perimeter Footing)


#### **MORE BENEFITS**

- Warmer, More Comfortable Floors
- Conforms Easily to Uneven Grades

- Strongly Bonded to Resist Delamination
- Sealed Seams Provide a Consistent Insulation

#### **PRODUCT SIZES**

#### PRODUCT SPECIFICATIONS



PHYSICAL PROPERTIES	TEST	VALUE
NOMINAL THICKNESS	1	5/16"
EMISSIVITY	ASTM C1371-04A	0.04
REFLECTIVITY	ASTM E903	0.96
WATER VAPOR PERMEABILITY	ASTM E96	0.42 Perms
RESISTANCE TO FUNGI and BACTERIA	ASTM C1149	DOES NOT PROMOTE GROWTH
PLIABILITY	ASTM C1224-03	NO CRACKING
BLEEDING and DELAMINATION	ASTM C1224-03	NO BLEEDING or DELAMINATION
CORROSIVENESS	ASTM D3310-00	PASSES
COMPRESSION	_	70 PSI

Warranty, Specific Applications, and Installation Guides can be found at www.rfoil.com







SCAN CODE FOR MORE INFORMATION



Feb, 08, 2025